
Digital B&W Multi Function Printer

RICOH MP 4054 MP 5054 MP 6054 SERIES







Highly reliable A3 black & white multi function devices

Your organization is unique. Just like the way you conduct business. So why handle document management in the same way as everybody else does?

RICOH MP 4054/MP 5054/MP 6054 series A3 black & white multifunction devices (MFDs) are designed for busy mid- to large-sized offices. These MFDs help you print, copy and share a wide range of documents. Use them as your information portal and connect to cloud services and applications directly from the operation panel. Monitor usage, energy consumption, operating costs and more with powerful administration tools. Add this compact device to your Ricoh Managed Document Service (MDS) programme to reduce costs across your company via advanced document handling. Available in a wide range of configurations, these models match your requirements and enhance your output from creation to finish.

- Time-saving: rapid recovery from sleep mode and a fast first print speed
- Highly productive: print at up to 40/50/60 pages per minute
- Ease of use: choice of two operating panels (9-inch/10.1-inch*)
- Cost-saving: low energy consumption
- Flexible: wide range of models to meet all your needs



So smart. So intuitive. So productive

Easy to use

The RICOH MP 4054/MP 5054/MP 6054 series is very simple to use. Select a conventional 9-inch display or try out the optional latest 10.1-inch RICOH Smart Operation Panel. Touch and swipe, like with any smart device, to perform complex operations rapidly and effortlessly. These models also feature external USB keyboard support, which further improves usability.

Top-quality documents

A large variety of finishing options is available. Add one of the two booklet finishers to easily create flat fold booklets. This saves you time that would otherwise be spent on manually folding documents. You can also opt for the 1,000- or 3,000-sheet finisher for a professional touch.





Digital CopEmhance y preen credentials

Instant action

RICOH MP 4054/MP 5054/MP 6054 series wakes up from Energy Saver mode virtually instantly. Turn away briefly and you'll miss the first print at a quick 2.9 seconds. Their high paper capacity of maximum 4,700 sheets and thick paper support of up to 300gm² are complemented by an Automatic Reversing Document Feeder (MP 4054/ MP 5054 series) or a Single Pass Duplex Feeder (MP 4054/ MP 5054/ MP 6054* series) for fast double-sided printing.

Low Total Electricity Consumption (TEC) values, energy-saving sleep mode and new Energy Star v2.0 compliance reduce your environmental impact and your energy costs. Automatic and fast double-sided printing is standard to save time, paper and cost.

*SPDF is standard for MP 6054 series.

RICOH MP 4054/ MP 4054SP/ MP 5054/ MP 5054SP/ MP 6054/ MP 6054SP

GENERAL

Basic: 11.0 seconds/ SP: 14.0 seconds Warm-up time:

First output speed: 4.0/2.9/2.9 seconds

Continuous output speed: 40/50/60 pages per minute 2GB (Maximum)

HDD: 320GB (Basic: Optional) Dimensions (W x D x H): With ARDF: 587 x 680 x 913 mm

With SPDF: 587 x 680 x 963 mm

Weight: With ARDF: 68.5 kg With SPDF: 74 kg

220 - 240 V, 50/60 Hz Power source:

COPIER

Multiple copying:

Twin laser beam scanning & electro photographic Copying process:

Up to 999 copies

Resolution: 600 dpi From 25% to 400% in 1% step

PRINTER (OPTION: MP 4054/ MP 5054/ MP 6054)

Standard: PCL5e, PCL6, Adobe® PDF Direct Printer language:

> Option: Adobe® PostScript® 3™, IPDS, XPS 600 x 600 dpi, 1,200 x 1,200 dpi (Maximum)

Print resolution: USB 2.0 Type A, USB 2.0 Type B, SD slot,

Ethernet 10 base-T/100 base-TX,

Ethernet 1000 Base-T

Bi-directional IEEE 1284/ECP, *Wireless Option:

LAN (IEEE 802.11a/b/g/n), *Bluetooth, *Additional NIC (2nd port)

TCP/IP (IP v4, IP v6), IPX/SPX (Option) Network protocol: Windows® XP, Windows® Vista, Windows®7, Windows® 8, Windows® 8.1, Windows® Server 2003, Windows® environments:

Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012, Windows® Server 2012R2

Mac OS environments: Macintosh OS X v10.6 or later UNIX Sun® Solaris: 9. 10 **UNIX** environments: HP-UX: 11.x, 11i v2, 11i v3

SCO OpenServer: 5.0.7, 6.0 RedHat® Linux Enterprise: v4, v5, v6 IBM® AIX: v5L, v5.3, v6.1, v7.1

Novell® Netware®

Bundled drivers:

v6.5 environments: SAP® R/3® environments: SAP® R/3®

*Not available for Taiwan model

SCANNER (OPTION: MP 4054/ MP 5054/ MP 6054)

Scanning speed: ARDF: Max. 80 originals per minute

SPDF*: Max. 110 (Simplex)/ 180 (Duplex) originals per

minute

Resolution: 600 dpi, 1200 dpi (TWAIN) File Format: TIFF, JPEG, PDF, Encryption PDF,

High Compression PDF, PDF-A Network TWAIN

E-mail, Folder, USB/SD, URL NCP (Optional)

*SPDF is standard for MP 6054 series

FAX (OPTION)

PSTN. PBX Circuit: Compatibility:

ITU-T (CCITT) G3 Resolution:

8 x 3.85 line/mm, 200 x 100 dpi 8 x 7.7 line/mm, 200 x 200 dpi 8 x 15.4 line/mm, 16x 15.4 line/mm

400 x 400 dpi (Optional)

Transmission speed: G3: Approx. 3 second(s) (200 x 100 dpi, JBIG)

Approx. 2 second(s) (200 x 100 dpi)

Maximum: 33.6 Kbps Modem speed: Memory capacity: Standard: 4 MR Maximum: 60 MB

PAPER HANDLING

A3, A4, A5, A6, B4, B5, B6 Recommended paper size:

Standard: 1,150 sheets Paper input capacity: Maximum: 4,700 sheets

Standard: 500 sheets Paper output capacity: Maximum: 3.625 sheets

Paper weight: Standard paper tray(s): 60 - 300 g/m²

52 - 300 g/m² Bypass tray: Duplex unit: 52 - 256 g/m²

ECOLOGY

Maximum: 1.780 W Power consumption:

Ready mode: 81.4 W

Sleep mode: 0.48 W (Basic)/ 0.51 W (SP) TEC (Typical Electricity Consumption): Basic: 1,883/2,715/3,324 W/h 1,607/2,253/2,719 W/h

SOFTWARE (OPTION)

GlobalScan NX, Device Manager NX, Enhanced Locked Printed NX, Streamline NX, Card Authentication Package, Unicode Font Package for SAP

ADF handle, ARDF, SPDF (except MP 6054 series), 1 x 550-sheet paper tray, 2 x 550-sheet paper tray, Tandem LCIT, Caster table, LCIT, One-bin tray, 1,000-sheets finisher, 1,000-sheets booklet finisher, 3,000-sheets finisher, 2,000-sheets booklet finisher, Internal finisher (except MP 6054 series), Shift tray, Side Tray, Bridge unit, Punch kits for finisher, Printer/Scanner option, Smart operation panel, Hard disk drive, Netware, Browser unit, File format converter, Unicode font package, Adobe PostScript® 3™ option, IPDS, XPS print option, Copy data security unit, Wireless LAN (IEEE 802.11a/b/g/n), IEEE 1284, Bluetooth, Additional NIC (2nd port), Counter interface, Key counter bracket, Smart card reader, Card reader bracket, External keyboard bracket, OCR unit, Fax option, G3 interface unit, Fax connection unit, Fax memory, Fax marker

For availability of models, options and software, please consult your local Ricoh supplier.

RICOH imagine. change.

www.ricoh-ap.com

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467 Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2017 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.



















الجيزة

القاهرة



- 33935881 - 33935880 - 01112000645 - 01112000561 -17 ش عبد الحكيم الرفاعي - من ش عباس العقاد - امام الحديقة الدولية - 26721839 - 26721840 - 01112000568 - 01112000539 **-**وابور المياة 25 ش أحمد ذكي أبو شادي - متفرع من ش المنارة - امام نادي مياة أسكندرية 4252158 - 01211644005 - 01211634446 - 01211644470 - 01211644002

3 ش فهمى حجازى - من حسن عبد العال - متفرع من ش فيصل - أمام ادارة الهرم التعليمية